

Post-operative Care



The PROPEL sinus stent is placed after sinus surgery to promote healing and reduce the need for additional procedures.

For best results, follow your doctor's instructions and these tips:



Saline irrigations several times a day are important for post-surgical healing.



A saline irrigation could be helpful right before your follow-up visit.



As PROPEL dissolves, thin white fragments may come out of your nose – this is normal.

Visit MySinusitis.com[™] to sign up for your sinus health newsletter.

See back cover for important safety information.

Additional Notes:



The PROPEL sinus implant is intended for use following ethmoid sinus surgery to maintain the sinus opening. PROPEL Mini is intended for use following ethmoid or frontal sinus surgery to maintain the sinus opening. These products are intended for use in patients ≥18 years of age. These products are not intended for people who are allergic to the drug mometasone furoate (MF) or to certain polymers. Safety and effectiveness of the implants in pregnant or nursing females has not been studied. Risks may include pain/pressure, movement of the implant (within or out of the sinus) and possible side effects of the drug. The most common side effects in clinical studies were infection, headache and nose bleed. For more information on the risks and benefits of PROPEL and PROPEL mini, please talk to your doctor. The FDA approved labeling can be found at www.PROPELOPENS.com. Rx only.

©2017 Intersect ENT, Inc. INTERSECT ENT and PROPEL are registered trademarks of Intersect ENT, Inc. in the United States and other countries.